



SIGNS•R•US

WE'LL GET YOUR MESSAGE OUT THERE

MINING & INDUSTRIAL SIGNS CATALOGUE

+27 (0) 87 808 8326

info@signsrus.co.za

www.signsrus.co.za

Unit 2. 46 Fransen St.
Chamdor.
Krugersdorp.





Safety Symbolic Signs

FIRE SAFETY SIGNS

Sizes: 190mm / 290mm / 440mm



WARNING SAFETY SIGNS

Sizes: 190mm / 290mm / 440mm



PROHIBITION SAFETY SIGNS

Sizes: 190mm / 290mm / 440mm





Safety Symbolic Signs

PROHIBITION SAFETY SIGNS

Sizes: 190mm / 290mm / 440mm



MANDATORY SAFETY SIGNS

Sizes: 190mm / 290mm / 440mm



GENERAL SAFETY SIGNS

Sizes: 190mm / 290mm / 440mm



Mine Safety Signs - Drowning



SRU201

Size:
600x600mm
1000x1000mm
1200x1200mm



SRU202

Size:
800x640mm
1200x650mm
1500x1200mm



SRU203

Size:
750x400mm
1100x600mm
2200x1200mm



SRU204

Size:
400x500mm
600x750mm
800x1000mm

Mine Safety Signs - Drowning



SRU205

Size:
600x600mm
1000x1000mm
1200x1200mm




SRU206

Size:
600x600mm
1000x1000mm
1200x1200mm



SRU207

Size:
600x600mm
1000x1000mm
1200x1200mm



SRU208

Size:
200x300mm
400x600mm
600x900mm

Mine Safety Signs- Drowning & Sub-Station




SRU209

Size:
200x300mm
400x600mm
600x900mm



SRU301

Size:
600x600mm
900x900mm
1200x1200mm



SRU302

Size:
600x470mm
900x700mm
1200x930mm



SRU303

Size:
600x600mm
900x900mm
1200x1200mm

Mine Safety Signs - Substation



SRU304

Size:
600x310mm
900x470mm
1200x630mm



SRU305

Size:
400x600mm
600x900mm
900x1400mm



SRU206

Size:
400x600mm
600x900mm
900x1400mm



SRU207

Size:
200x300mm
300x450mm
400x600mm

Mine Safety Signs

Non Colour Coded Lifting Equipment



SRU401

Size:
300x600mm
600x1200mm

Pipe colour codes

COMMODITY	SYMBOL	COLOR	SIGN NUMBER
REAGENTS			
CHARGE	101	FLAME YELLOW	101
HYDROLYSIS AGENT	102	FLAME YELLOW	102
HYDROLYSIS AGENT	103	FLAME YELLOW	103
FLUORINE	104	FLAME YELLOW	104
FLUORINE	105	FLAME YELLOW	105
FLUORINE	106	FLAME YELLOW	106
FLUORINE	107	FLAME YELLOW	107
FLUORINE	108	FLAME YELLOW	108
FLUORINE	109	FLAME YELLOW	109
FLUORINE	110	FLAME YELLOW	110
FLUORINE	111	FLAME YELLOW	111
FLUORINE	112	FLAME YELLOW	112
FLUORINE	113	FLAME YELLOW	113
FLUORINE	114	FLAME YELLOW	114
FLUORINE	115	FLAME YELLOW	115
FLUORINE	116	FLAME YELLOW	116
FLUORINE	117	FLAME YELLOW	117
FLUORINE	118	FLAME YELLOW	118
FLUORINE	119	FLAME YELLOW	119
FLUORINE	120	FLAME YELLOW	120
FLUORINE	121	FLAME YELLOW	121
FLUORINE	122	FLAME YELLOW	122
FLUORINE	123	FLAME YELLOW	123
FLUORINE	124	FLAME YELLOW	124
FLUORINE	125	FLAME YELLOW	125
FLUORINE	126	FLAME YELLOW	126
FLUORINE	127	FLAME YELLOW	127
FLUORINE	128	FLAME YELLOW	128
FLUORINE	129	FLAME YELLOW	129
FLUORINE	130	FLAME YELLOW	130
FLUORINE	131	FLAME YELLOW	131
FLUORINE	132	FLAME YELLOW	132
FLUORINE	133	FLAME YELLOW	133
FLUORINE	134	FLAME YELLOW	134
FLUORINE	135	FLAME YELLOW	135
FLUORINE	136	FLAME YELLOW	136
FLUORINE	137	FLAME YELLOW	137
FLUORINE	138	FLAME YELLOW	138
FLUORINE	139	FLAME YELLOW	139
FLUORINE	140	FLAME YELLOW	140
FLUORINE	141	FLAME YELLOW	141
FLUORINE	142	FLAME YELLOW	142
FLUORINE	143	FLAME YELLOW	143
FLUORINE	144	FLAME YELLOW	144
FLUORINE	145	FLAME YELLOW	145
FLUORINE	146	FLAME YELLOW	146
FLUORINE	147	FLAME YELLOW	147
FLUORINE	148	FLAME YELLOW	148
FLUORINE	149	FLAME YELLOW	149
FLUORINE	150	FLAME YELLOW	150
FLUORINE	151	FLAME YELLOW	151
FLUORINE	152	FLAME YELLOW	152
FLUORINE	153	FLAME YELLOW	153
FLUORINE	154	FLAME YELLOW	154
FLUORINE	155	FLAME YELLOW	155
FLUORINE	156	FLAME YELLOW	156
FLUORINE	157	FLAME YELLOW	157
FLUORINE	158	FLAME YELLOW	158
FLUORINE	159	FLAME YELLOW	159
FLUORINE	160	FLAME YELLOW	160
FLUORINE	161	FLAME YELLOW	161
FLUORINE	162	FLAME YELLOW	162
FLUORINE	163	FLAME YELLOW	163
FLUORINE	164	FLAME YELLOW	164
FLUORINE	165	FLAME YELLOW	165
FLUORINE	166	FLAME YELLOW	166
FLUORINE	167	FLAME YELLOW	167
FLUORINE	168	FLAME YELLOW	168
FLUORINE	169	FLAME YELLOW	169
FLUORINE	170	FLAME YELLOW	170
FLUORINE	171	FLAME YELLOW	171
FLUORINE	172	FLAME YELLOW	172
FLUORINE	173	FLAME YELLOW	173
FLUORINE	174	FLAME YELLOW	174
FLUORINE	175	FLAME YELLOW	175
FLUORINE	176	FLAME YELLOW	176
FLUORINE	177	FLAME YELLOW	177
FLUORINE	178	FLAME YELLOW	178
FLUORINE	179	FLAME YELLOW	179
FLUORINE	180	FLAME YELLOW	180
FLUORINE	181	FLAME YELLOW	181
FLUORINE	182	FLAME YELLOW	182
FLUORINE	183	FLAME YELLOW	183
FLUORINE	184	FLAME YELLOW	184
FLUORINE	185	FLAME YELLOW	185
FLUORINE	186	FLAME YELLOW	186
FLUORINE	187	FLAME YELLOW	187
FLUORINE	188	FLAME YELLOW	188
FLUORINE	189	FLAME YELLOW	189
FLUORINE	190	FLAME YELLOW	190
FLUORINE	191	FLAME YELLOW	191
FLUORINE	192	FLAME YELLOW	192
FLUORINE	193	FLAME YELLOW	193
FLUORINE	194	FLAME YELLOW	194
FLUORINE	195	FLAME YELLOW	195
FLUORINE	196	FLAME YELLOW	196
FLUORINE	197	FLAME YELLOW	197
FLUORINE	198	FLAME YELLOW	198
FLUORINE	199	FLAME YELLOW	199
FLUORINE	200	FLAME YELLOW	200

SRU402

Size:
900x900mm
1200x1200mm

MANDATORY PPE



SRU403

Size:
300x300mm
400x400mm
600x600mm

PPE MUST BE WORN WHERE REQUIRED



SRU404

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU405

Size:
300x300mm
400x400mm
600x600mm



SRU406

Size:
300x300mm
400x400mm
600x600mm

EMERGENCY CONTACTS			
AMBULANCE	NAME:	CONTACT 1:	CONTACT 2:
FIRE	NAME:	CONTACT 1:	CONTACT 2:
MEDICAL	NAME:	CONTACT 1:	CONTACT 2:
POLICE	NAME:	CONTACT 1:	CONTACT 2:
MANAGER	NAME:	CONTACT 1:	CONTACT 2:
RESPONSIBLE PERSON	NAME:	CONTACT 1:	CONTACT 2:
SAFETY OFFICER	NAME:	CONTACT 1:	CONTACT 2:
SECURITY	NAME:	CONTACT 1:	CONTACT 2:

SRU407

Size:
300x300mm
400x400mm
600x600mm



SRU408

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU409

Size:
300x300mm
400x400mm
600x600mm



SRU410

Size:
60x90mm



SRU411

Size:
300x300mm
400x400mm
600x600mm



SRU412

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU413

Size:
300x300mm
400x400mm
600x600mm



SRU414

Size:
300x300mm
400x400mm
600x600mm



SRU415

Size:
300x300mm
400x400mm
600x600mm



SRU416

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU417

Size:
300x300mm
400x400mm
600x600mm



SRU418

Size:
300x300mm
400x400mm
600x600mm



SRU419

Size:
300x300mm
400x400mm
600x600mm



SRU420

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU421

Size:
300x300mm
400x400mm
600x600mm



SRU422

Size:
300x300mm
400x400mm
600x600mm



SRU423

Size:
300x300mm
400x400mm
600x600mm



SRU424

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU425

Size:
300x300mm
400x400mm
600x600mm



SRU426

Size:
300x300mm
400x400mm
600x600mm



SRU427

Size:
300x300mm
400x400mm
600x600mm



SRU428


Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs



SRU429

Size:
300x300mm
400x400mm
600x600mm




SRU430

Size:
300x300mm
400x400mm
600x600mm



SRU431

Size:
300x300mm
400x400mm
600x600mm



SRU432

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs

Company Logo

F.O.G.

FALL OF GROUND

Golden Controls:

- Ensure proper mining sequence.
- Support to standard at all times.



SRU433

Size:
300x300mm
400x400mm
600x600mm

Company Logo

EXPOSURE TO FLAMMABLE & NOXIOUS GASSES

Golden Controls:

- Fire detector heads.
- Ventilation controls.



SRU434

Size:
300x300mm
400x400mm
600x600mm

Company Logo

WINCHES

Golden Controls:

- Rig correctly at all times.
- Install signalling services.



SRU435

Size:
300x300mm
400x400mm
600x600mm

Company Logo

NOISE

Golden Controls:

- Use noise clippers in areas above 85db.
- Advise on at-risk behaviour.



SRU436

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs

Company Logo

PUMPING WATER ON SURFACE

Golden Controls:

- Control room SCADA report on pumps.
- Maintenance works on orders report (dms).



SRU437

Size:
300x300mm
400x400mm
600x600mm

Company Logo

WORKING AT HEIGHTS

Golden Controls:

- obtain a permit to work.
- Use full body harness, anchoring points and life line.



SRU438

Size:
300x300mm
400x400mm
600x600mm

Company Logo

ELECTRICITY

Golden Controls:

- Isolation and lockout.
- Always test before working on electricity.



SRU439

Size:
300x300mm
400x400mm
600x600mm

Company Logo

LIFTING EQUIPMENT

Golden Controls:

- Lifting methods (sequential lifting).
- Three(3) monthly 3rd party inspection & colour coding.



SRU440

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs

Company Logo

**IF THIS SIREN
SOUNDS THERE
IS A LIGHTING
THREAT PLEASE
GO FOR COVER
URGENTLY!**



SRU441

Size:
300x300mm
400x400mm
600x600mm

Company Logo

EXPLOSIVES

Golden Controls:

- Quantity control (storage & transport).
- Clearing the workplace.



SRU442

Size:
300x300mm
400x400mm
600x600mm

Company Logo

SILICOSIS

Golden Controls:

- Water down to allay dust.
- Ensure good ventilation at all times.



SRU443

Size:
300x300mm
400x400mm
600x600mm

Company Logo

TMM

TRACKLESS MOBILE MACHINERY

Golden Controls:

- Conduct brake tests.
- Use hand and park brakes.



SRU444

Size:
300x300mm
400x400mm
600x600mm

Mine Safety Signs - Substation



SRU445

Size:
200x300mm
300x450mm
400x600mm



SRU446

Size:
200x300mm
300x450mm
400x600mm

Doornkop 

VISUAL RISK INDICATOR 

DATE SITE

TIME AREA

FINDINGS/ACTIONS

Print out Risk Assessment Data Evaluation & Plan to Work

RESPONSIBLE PERSON

NEXT ASSESSMENT

(DATE & TIME)



SRU447

Size:
900x1200mm



SRU448

Size:
1200x900mm

Mine Safety Signs



SRU449

Size:
400x600mm



SRU451

Size:
400x600mm



SRU452

Size:
400x600mm

SRU453

Size:
400x600mm

HAZMAT Safety Signs

HAZARDOUS CHEMICAL SUBSTANCES		
HEALTH HAZARD  • Corrosive • Irritating • Harmful • Acute Toxicity • Chronic Toxicity	FIRE HAZARD  • Flammable • Oxidising • Self-heating • Highly flammable • Extremely flammable	HAZARDS  • Explosive • Corrosive • Irritating • Harmful • Acute Toxicity • Chronic Toxicity
ENVIRONMENTAL HAZARD  • Harmful to the environment	CORROSION HAZARD  • Corrosive • Irritating • Harmful	EXPLOSIVE HAZARD  • Explosive • Corrosive • Irritating • Harmful
OXIDISING HAZARD  • Oxidising	EMERGENT HAZARD  • Harmful	TOXIC HAZARD  • Toxic

HAZCHEM

HAZCHEM 3WE

- CAUTION HAZARDOUS SUBSTANCES PRESENT
- DIRECT CONTACT MAY BE HARMFUL
- NO SMOKE, NO FLAMES OR SPARKS
- AVOID BREATHING CHEMICAL VAPORS
- PROTECT FROM CONTACT WITH SKIN AND EYES
- KEEP CHILDREN AWAY FROM FLAMMABLES
- DO NOT RELEASE TO ENVIRONMENT

IN EMERGENCY DIAL 111 FIRE, POLICE OR AMBULANCE

MEDICAL ADVICE NATIONAL POISONS CENTRE (0800 754 766)








SRU501

Size:
400x600
800X1200mm

SRU502

Size:
300x300mm
600x600mm

DIESEL FUEL





DANGER

HAZARDOUS STATEMENTS:

- Flammable liquid and vapour.
- Harmful if inhaled.
- Causes skin irritation.
- May be fatal if swallowed and enters airways.
- May cause drowsiness or dizziness.
- Suspected of causing cancer.

TARGET ORGANS: EYES, SKIN, RESPIRATORY TRACT.

PRECAUTIONS:

- 1. Avoid contact with skin and eyes.
- 2. Avoid contact with clothing.
- 3. Avoid contact with food and drink.
- 4. Avoid contact with children.
- 5. Avoid contact with pets.
- 6. Avoid contact with water.
- 7. Avoid contact with fire.
- 8. Avoid contact with heat.

PROTECTIVE EQUIPMENT FOR HANDLING MATERIAL:

- 1. Eye Protection
- 2. Skin Protection
- 3. Respiratory Protection
- 4. Hand Protection
- 5. Foot Protection

HAZCHEM

HAZCHEM 3WE

- CAUTION HAZARDOUS SUBSTANCES PRESENT
- DIRECT CONTACT MAY BE HARMFUL
- NO SMOKE, NO FLAMES OR SPARKS
- AVOID BREATHING CHEMICAL VAPORS
- PROTECT FROM CONTACT WITH SKIN AND EYES
- KEEP CHILDREN AWAY FROM FLAMMABLES
- DO NOT RELEASE TO ENVIRONMENT

IN EMERGENCY CONTACT

MEDICAL ADVICE NATIONAL POISONS CENTRE (0800 754 766)








SRU503

Size:
300x300mm
600x600mm

SRU504

Size:
300x300mm
600x600mm

HAZMAT Safety Signs



SRU505

Size:
300x300mm
600x600mm



SRU506

Size:
300x300mm
600x600mm



SRU507

Size:
300x300mm
600x600mm



SRU508

Size:
300x300mm
600x600mm

HAZMAT Safety Signs



SRU509

Size:
300x300mm
600x600mm



SRU510

Size:
300x300mm
600x600mm



SRU511

Size:
300x300mm
600x600mm



SRU512

Size:
300x300mm
600x600mm

HAZMAT Safety Signs



SRU513

Size:
300x300mm
600x600mm



SRU514

Size:
300x300mm
600x600mm



SRU515

Size:
300x300mm
600x600mm



SRU516

Size:
300x300mm
600x600mm

HAZMAT Safety Signs



SRU517

Size:
300x900mm
400x1200mm




SRU518

Size:
300x900mm
400x1200mm



SRU519

Size:
70x150mm



SRU520

Size:
400x700mm

Safety Posters

Company Logo

Organize Your Workplace

Sort and discard	Housekeeping. Separate the necessary items from the unnecessary items.	1. Sort items into three categories: necessary, unnecessary, and discard. 2. Sort items into three categories: necessary, unnecessary, and discard. 3. Sort items into three categories: necessary, unnecessary, and discard. 4. Sort items into three categories: necessary, unnecessary, and discard. 5. Sort items into three categories: necessary, unnecessary, and discard. 6. Sort items into three categories: necessary, unnecessary, and discard. 7. Sort items into three categories: necessary, unnecessary, and discard. 8. Sort items into three categories: necessary, unnecessary, and discard. 9. Sort items into three categories: necessary, unnecessary, and discard. 10. Sort items into three categories: necessary, unnecessary, and discard.
Shine	Clean up.	1. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 2. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 3. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 4. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 5. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 6. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 7. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 8. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 9. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything). 10. Clean up and maintain equipment, surfaces, floors, windows, walls and internal partitions (keep up everything).
Signpost and order	Organize the workplace. A place for everything and everything in its place.	1. Organize the workplace in a way that makes it easy to find and use. 2. Organize the workplace in a way that makes it easy to find and use. 3. Organize the workplace in a way that makes it easy to find and use. 4. Organize the workplace in a way that makes it easy to find and use. 5. Organize the workplace in a way that makes it easy to find and use. 6. Organize the workplace in a way that makes it easy to find and use. 7. Organize the workplace in a way that makes it easy to find and use. 8. Organize the workplace in a way that makes it easy to find and use. 9. Organize the workplace in a way that makes it easy to find and use. 10. Organize the workplace in a way that makes it easy to find and use.
Simplify work	Eliminate wasteful activities.	1. Eliminate wasteful activities. 2. Eliminate wasteful activities. 3. Eliminate wasteful activities. 4. Eliminate wasteful activities. 5. Eliminate wasteful activities. 6. Eliminate wasteful activities. 7. Eliminate wasteful activities. 8. Eliminate wasteful activities. 9. Eliminate wasteful activities. 10. Eliminate wasteful activities.
Sustain	Discipline.	1. Discipline. 2. Discipline. 3. Discipline. 4. Discipline. 5. Discipline. 6. Discipline. 7. Discipline. 8. Discipline. 9. Discipline. 10. Discipline.

SRU605

Size:
400x600mm

Company Logo

Operation Ibiza

Things people knew and avoided about hands

Our hands can perform extremely gentle and precise actions, such as painting a picture, greeting friends and caressing a loved one. Our hands enable us to perform our daily tasks and assist with difficult jobs. They are the tools we are born with and should last our entire lifetime. Why not treat them with the respect they deserve? Our fingers are like the members of our family – if one member is gone, the rest suffer immensely.

Thumb	The thumb is like a father in the family for it supports the other fingers and holds the work steady. The thumb also helps to hold the work steady.
Index Finger	The index finger is like a mother, gentle and precise, it is the first to greet and the last to leave.
Ring finger	The ring finger is like a brother, gentle and precise, it is the first to greet and the last to leave.
Pinky	The pinky is like a sister, gentle and precise, it is the first to greet and the last to leave.



You need your hands

SRU606

Size:
400x600mm

Company Logo

Moving Machinery

1. Always ensure that the machinery is safe to use.	2. Always ensure that the machinery is safe to use.
3. Always ensure that the machinery is safe to use.	4. Always ensure that the machinery is safe to use.
5. Always ensure that the machinery is safe to use.	6. Always ensure that the machinery is safe to use.
7. Always ensure that the machinery is safe to use.	8. Always ensure that the machinery is safe to use.

Moving machines can kill

SRU607

Size:
400x600mm

Company Logo

Lock Out Roles

Isolation officer	Competent person
Isolation specialist	Authorized person
Team of workers	Executive

SRU608

Size:
400x600mm

Safety Posters



SRU601

Size:
400x600mm



SRU602

Size:
400x600mm



SRU603

Size:
400x600mm



SRU604

Size:
400x600mm

Safety Posters

Company Logo

Emergency preparedness

Symbolic safety signs

First aid station	First aid station	First aid station	First aid station	First aid station	First aid station	First aid station	First aid station
First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit
First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit
First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit
First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit	First aid kit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

Emergency Exit

SRU609

Size:
400x600mm

Company Logo

Operating tips for forklift operators

- 1 Always put the seats of forklifts in a fixed position so the forklift operator can adjust the seat easily.

- 2 Never drive or transport loads in an unsafe manner. Use belts when using them. Use ladders when climbing. Use handrails when driving on ramps.

- 3 The forklift operator must always use seat belts when operating forklifts on and off the ground. Do not operate a forklift unless the operator is not in accordance with the instructions of any manufacturer's personnel.

- 4 Always sit the forklift operator's seat when handling with control. This helps increase the stability of the load.

- 5 Do not transport loads that are too high. The forklift operator should adjust the forklift to the height of the load. The forklift operator should be aware of the load's weight and the forklift's capacity. This is to ensure that the forklift can safely transport the load.

- 6 Always consider that the forklift operator may be operating on a sloped surface. Always use the forklift operator's seat and handrails when driving on ramps. Always use the forklift operator's seat and handrails when driving on ramps.

- 7 Take care to avoid obstacles in the path of the forklift operator. Always use the forklift operator's seat and handrails when driving on ramps. Always use the forklift operator's seat and handrails when driving on ramps.

- 8 When picking up loads with the forklift, always consider the weight of the load. Always use the forklift operator's seat and handrails when driving on ramps. Always use the forklift operator's seat and handrails when driving on ramps.

- 9 Always consider the weight of the load. Always use the forklift operator's seat and handrails when driving on ramps. Always use the forklift operator's seat and handrails when driving on ramps.

- 10 When driving on ramps, the forklift operator should always use the forklift operator's seat and handrails when driving on ramps. Always use the forklift operator's seat and handrails when driving on ramps.

- 11 Always consider the weight of the load. Always use the forklift operator's seat and handrails when driving on ramps. Always use the forklift operator's seat and handrails when driving on ramps.

SRU610

Size:
400x600mm

Company Logo

Overhead crane life saving rules

Overhead crane life saving rules

- 1 Only operators with a valid and applicable licence are allowed to operate a crane.

- 2 Unauthorised access is not allowed.

- 3 Inspect crane at the beginning of each shift.

- 4 Report deviations as the case shifts.

- 5 Do not operate a crane with a cut out device.

- 6 Use a hoist or 12 volt battery TSD system, if not possible.

- 7 Do not move crane hoists (with or without load) directly over people.

- 8 Connections must have permission to work on a crane crane gantry.

- 9 When using cranes, the parking only allowed crane connections.

- 10 Do not STOP.

- 11 No mobile phone use.


SRU612

Size:
400x600mm

Company Logo

Pedestrian safety at road crossings

Pedestrian safety at road crossings

Pedestrian safety at official walkways

Pedestrian safety at railway crossings

SRU613

Size:
400x600mm

Safety Posters



Emergency preparedness



SRU609

Size:
400x600mm



Operating tips for forklift drivers



SRU610

Size:
400x600mm



Overhead crane life saving rules




SRU612

Size:
400x600mm



Pedestrian safety at road crossings




SRU613

Size:
400x600mm

Safety Posters



Lifting loads



SRU614

Size:
400x600mm



Conveyor belt safety



SRU615

Size:
400x600mm



Bicycle Safety



SRU616

Size:
400x600mm



Tips for heavy drivers



SRU617

Size:
400x600mm